

TECHNICAL BULLETIN

Issue Date : October 8, 2002


McELROY METAL

No. 05-158-02

ASTM E1592 Wind Uplift Test

Maxima 324 24 Ga.

McElroy Metal had its Maxima structural standing seam panel tested per ASTM E1592 on April 3, 2000 and August 12, 2002. This test meets the guide specs of CEGS 07416, and therefore, can be specified for use on military projects.



TEST RESULTS

Panel	Gauge	Span	Ultimate	Design Load (psf)	Design Load (psf)
			Load (psf)	Factor of Safety = 1.65 (CEGS)	Factor of Safety = 2.00 (AISI*)
Maxima 324	24	1'-0"	126.0	76.3	84.0
Maxima 324	24	2'-6"	78.0	47.2	52.0
Maxima 324	24	5'-0"	62.4	37.8	41.6

Test Report No. : C825 Test Report No. : T253-02

Dated : April 3, 2000 Dated : September 12, 2002

*Includes 33% increase. May be utilized when allowed by the local building code.

CORPORATE OFFICE SHREVEPORT, LOUISIANA