
McELROY METAL, INC



www.mcelroymetal.com

Medallion-Lok Panel

Product Data



(Optional)

Applications

Snap Seamed roof panel used on slopes down to 3:12. Continuous length up to 75'. Please inquire for longer lengths.

<u>Substrates</u>

Plywood, Metal Deck, Rigid Insulation/Metal Deck or Open Framing.

<u>Material</u>

Standard - 24 GA. ASTM A792 (50 ksi steel) AZ55 - Bare AZ50 - Painted

Optional - 22 GA. ASTM A792 (50 ksi steel) AZ55 - Bare AZ50 - Painted

and .032 Aluminum (Sunnyvale Plant Only)

Manufacturing

Roll formed in factory.

Available Factory Eave Notching of 1 1/2"

Finishes

Acrylic Coated Galvalume® Fluoropolymer (Kynar 500® PVDF resin-based)

Pan Conditions

Flat Pan, Pencil Ribbed or Striated

Oil canning is inherent in all metal panels and is not cause for panel rejection. A signed oil canning acknowledgement will be required for all orders prior to production.

Testina *

Uplift: UL 580 Class 90, ASTM E1592

Air & Water Infiltration: ASTM E1680, and ASTM E1646.

Fire Resistance: UL 263 & UL 790 Class A

Impact Testing: UL 2218 Class 4


Miami Dade Approval: NOA# 18-0327.11

Florida Product Approval: FL 1747.5 & FL 1832.7

Testing and Approvals are product specific. Please inquire for details.

NOTE:

All data represented on this sheet may not be applicable to all widths and gauges. Please contact McElroy Metal for more information.



STANDARD CLIP

16 GA. Galvanized G90 - ASTM A653 (50 ksi)

REVISION DATE: 5/17/21

16 GA. Galvanized G90 - ASTM A653 (50 ksi)

MEDLOK PAGE 1 of 1