MAXIMA 2"

RAKE TIE-IN DETAIL (OFF MODULE)

BUILDING LINE

COUNTER FLASHING
(NOT BY MCELROY)

FASTENER
(NOT BY MCELROY)

ZEE CLOSURE W/
3/32" X 1" ROLL TAPE SEALANT
(TOP & BOTTOM)

FLEXIBLE MEMBRANE
(NOT BY MCELROY)

FIELD CUT PNL.
AS REQ'D.

1/4−14 X 1 1/4" TEK2 ZAC
FASTENER (@ 1'−0" O.C.)

NOTE:
AREA MUST BE NOTCHED
SO FASTENER CAN MOVE

WOOD BLOCKING
(NOT BY MCELROY)

22GA. METAL DECK
(NOT BY MCELROY)

NOTE:
THIS AREA MUST FLOAT

RAKE TIE−IN
TRIM

43D POP RIVET
(@ 1'−0" O.C.)

FLOATING RAKE PLATE

#14−10 X 1 1/2" HWH TYPE A
FASTENER (@ 1'−0" O.C.)

MAXIMA 2" PANEL

THERMAL SPACER

#30 PAPER FELT
(NOT BY MCELROY)

NOM. 1/2" (MIN.) NAILABLE
AND RIGID INSULATION
(NOT BY MCELROY)

VAPOR BARRIER
(RECOMMENDED)
(NOT BY MCELROY)

McELROY METAL, INC.

DATE CREATED: 03/07/08