

3/16" DIA. BEAD OF BUTYL  
TUBE SEALANT (UP VERTICAL SEAM  
AND FORCED INTO HEM)

1/4-14 X 1 1/4" TEK2 ZAC  
FASTENERS (SEE FASTENER  
PATTERN IN INSTALLATION MANUAL)

INSIDE CLOSURE W/ 1"  
ROLL TAPE SEALANT (CONT.  
ALONG TOP AND BOTTOM  
OF CLOSURES)

ORDER SEAM CAPS LONG  
AND FIELD BEND TO  
FORM GUTTER STRAPS

43D POP RIVETS  
(@ GUTTER STRAPS)

7" BOX GUTTER  
(MT-63C)

HEAD TRIM

WALL FASTENER

DOWNSPOUT

WALL PANEL


TRAP-TEE SEAM CAP

TRAP-TEE PANEL

HIGH FLOATING  
EAVE PLATE  
(MT-208)

1/4-14 X 1 1/4" HWH TEK2  
W/ SHOULDER FASTENERS  
(@1'-0" O.C.) (MAKE SURE TO  
CENTER FASTENER IN SLOTS)

STRUCTURAL ROOF  
MEMBER



## FLOATING EAVE with GUTTER TRIM DETAIL

ISSUE/REVISION DATE:

11/3/2022

ROOF PANEL: TRAP-TEE

SUBSTRATE: PURLIN

SCALE: N.T.S.